



601 N. Evergreen Road P.O. Box 630 Veradale, WA 99037-0630 (509) 924-3800

February 27, 1997

Ms. Cindy Christian
Water Resources Program
Washington State Department of Ecology
Eastern Regional Office
4601 No. Monroe, Suite 202
Spokane, WA 99205-1295

RE: Applications for Change

Dear Cindy:

Enclosed are several items as we discussed at our last meeting:

- 1. Applications for change for 8 of our permits
- 2. Requests to amend three outstanding applications for change.
- 3. A summary paper of our existing system and plans for the future.
- 4. SEPA checklist for the 8 new applications.
- 5. Not included is an evaluation of the population growth potential for our service area and the resulting final request for 20 year projections for peak pumping and annual withdrawal, we have included an estimate.
- 6. The fees for this proposal.

Please let us know if any of these documents need additional work. We will submit final numbers on the peak pumping and annual withdrawal as soon as we have the final data. Thanks for your help with these changes.

Sincerely.

Kevin M. Wells General Manager



WATER FACILITIES INVENTORY (MFI)



DATE PRINTED: 02/07/9 UPDATED

Read Instructions on back before completing

PATE UPDATED: 02/05/10

. SYSTEM ID NO	2. COUNTY		GROUP	TYPE	WRIA 5.7	WFI COMPLET	ED BY				TITLE	**
3. SYSTEM NAME	EE & POWER		1 21	000111		DAY TELEPHO	ONE			DATE		
STREET ADDRESS	TATE OF POSTURE					8. SUBMITTE	D NEW	SYSTEM	Т	NO CHANGE	F	EACTIVATE
601 N EV	ERGREEN RD					FOR	SYS	TEM NAME CHANGE		UPDATE	C	ELETE
P.O. BOX (IF APPLICA						*OLD SYSTEM	NAME - ENT	ER ONLY IF CHANG	ING WITH	THIS WFI		
PO BOX 6	· (16)		21115	70,000					11		Halling and San	4.7.2. Tente
CITY			SIAH:	ZIP CODE	14 415	S DWE SEING	SERVED B		VI GUMPE	ETE THIS	NG IN A: SECTION	
4. OWNER'S NAME (E PERSONAL IN AL PLANT SE FOUR MAN AND AND AND AND AND AND AND AND AND A		OWNER N	O.	9. NUMBER /	CTIVE RESID	The state of the s	10. NUM	BER ACTIVE	Elitaber States	a continued Whitehor a
VERA WAT	ER AND FOWE	R		6.2	86	CONNEC			POP	ULATION	- 1	
STREET ADDRESS	**** ******** ****						523	1		17,5	24	
PO BOX OF APPLICA	English Di		1					NYNONE			i ktypt wif	1777
i dok (ii di						ENITED VEI	SISTUDER	ITS ETC.) COM	SINC.	HIS SECTION	IN COL	30.
CITY			STATE	ZIP CODE	V je			ITIAL CONNECTION			THE PROPERTY OF THE PARTY OF TH	A SCHOOL SECTION AND A SECTION AND A
AELVDVPE			MA	990	37							
5. SYSTEM CONTAC		7 t 167 1	NT N. CT. CT.	TITLE				AILY NON-RESIDEN				
DAY TELEPHONE	LLS - GENER	EVENING TEL		11		IAN	APR		JULY		ост.	
509-924-		EVENING TEL		-922-	8500	FEB.	MAY		AUG.		NOV.	
B. OWNERSHIP (CHECK DNE D	ul W	7. PREDON	INANT C	HAHACTER Y)	stic	MAR	MINE		SEP		DEC.	
		77						RVE AT LEAST 25 C				
PRIVATE: NO		RESIDE										
PRIVATE: FOR		BUSINI		JSTRIAL/			YES	S NO				
(COUNTY/CIT				/ COMMERC O SERVICE	AL	14. TOTAL N				RIBUTION RE		S)
STATE		SCHOO	OL/DAY (CARE			TIONS METER	ED	TOT	AL CAPACITY		
FEDERAL		OTHER	(CHURC	HES. ETC.)		5	.303			3.65	0,000) GALLONS
18: DOH 17: 80	URICENAME				18 TISE V	0. 210 East 2	DO WEST		2013(01)):	O-ROUATIO		4 764
NUMBER	4	1.5	# CATE	CZ GURY, =		O. 2116. TREATMENT &	MT 430 44	Zarsounce and Capacity	As a second	1		, in
LISTU	HILLY S NAME FOR SOURCE			A TED		,						E E
IIIIF	DURCE IS PURCHASED OR BUILD LIST SELLER'S ID#			F GAL. TREATED JINTREATED		2 N N	(FEET)	(GPM)	1/4; 1/4	SEC.	TWP	RNG.
ton.	MATE SAXX BIAME		1 9 9		IANE:				.1.1.	100.		SWIRE
Selection of the select	MPLE 77050Y/SEATTLE		WELL - SURFAC SPRING	RANNE INTER- PURCH PURCH	SEASC: EMERCE							SWT
SO1 WEL			7		Z Y	Y.	156		NE/S	and the same	25N	44E
SO2 WEL					X Y		265 176		NE/S SE/S	and the second	25N 25N	44E 44E
SO4 WEL		1	<i>;</i>		X Y		150		NE/S	a military and the same of the	25N	44E
COS WEL	n y y		7.		3. 3	7) " (,	I I	HW/II		25N	44E
206 WEL		4			Y. У		1	4.000	SE/H	E 22	25N	4.4 E
SOS WEL	do # / .L-# O :				OBY GU		711	2 200	NE /C	מים ויים	12 E N7	4 4 12
	.T. # 0				$\begin{bmatrix} X \\ y \end{bmatrix} \begin{bmatrix} Y \\ Y \end{bmatrix}$,	215 240		NE/S HE/S		25N 25N	44E 44E
Ish the manager			e Mininau	M REGULATE	1 1 1 .	otogical samp				14 24 . 3		The second date
25.	ना के अम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद्धाः सम्बद	waterward to end the gain hear	Lange formal States No.	26. JAN	FEB	MAR APR	MAY	JUN JUL	AUG		OCT N	OV DEC
-				2.0	21)	30 20	30	20. 20	20	. 30	20 2	20 26
IO. APPROVED SERV		1111				DATE OF L	AST SANITAR			U BY D	ОН	LHD
SYSTEM IN CRITICAL EFFECTIVE DATE RE	WATER SUPPLY SERVICE AF		YES	NO	GW MGN	AT AREA?	YES	NO FOR LH	ALY	2475		
COTIVE DATE HE	THO. CHANGES	SIGNATUR	E OF DOF	REVIEWER						DATE		

VERA WATER AND POWER WATER RIGHTS - APPLICATIONS FOR CHANGE MARCH 1997

I. Introduction

This paper has been prepared to complement the applications for change that are being presented at this time and three pending applications for change that need to be amended. These proposed changes to the District's permits, certificates and rights should address the recent changes required by the relocation of Well No. 2, correct errors in existing paper work, integrate the entire system and project the water needs for the District for the next 20 years.

The District experienced a period of activity from 1986 through 1995 where water levels in wells fell to levels making them unusable, pumping facilities were moved from well to well, and where major pumping facilities had to be constructed or relocated. This has resulted in the need for several permits to be modified and new permits to applied for.

During this time we have drilled test wells at several locations to investigate the ability to withdraw water in different locations. We have found that there is limited access to the aquifer at No. 4, No. 5, No. 3, and property we own at 16th and Sullivan. We have found excellent conditions for pumping at No. 2, No. 6 and No. 8-9-10. This has led us to modify our future plans and present the applications for change in their current manner.

II. Existing Use

Exhibit "A" (Next Page) shows the current use of the eleven wells covered by the existing eleven permits. The existing permits total 36,200 Gpm peak pumping, of which the District is using 30,600 Gpm. Although the total actual pump capacity is within the permitted total, the pump capacity at Well field No. 3 actually exceeds the permitted capacity slightly.

Wells and Rights

V CIIS a	inu itigitts								
Well No.	Location	Sec 7	Twn 1	Rng	Right Ggpm / Acre Feet Restrictions	Right Ggpm / Acre Feet Restrictions	Right Ggpm / Acre Feet Restrictions	Current Use - Gpm	Current Use - Gpm
1.	NE 1/4 of SE 1/4	15	25	44	709-D 7100 / 3893			350HP 3500 Gpm	75HP 500 Gpm
21	NE 1/4 of SE 1/4 (Wellfield 2)	14	25	44	710-D 6000 / 8895 (Moved Legal Wrong)	Application Pending		300HP 3000 Gpm	
22	NE 1/4 of SE 1/4 (Wellfield 2)	14	25	44	710-D 6000 / 8895 (Moved Legal Wrong)	Application Pending		250HP 2500 Gpm	
3	SE 1/4 of SE 1/4 (Wellfield 3)	22	25	44	711-D 6300 / 8895			150HP 2800 Gpm (W / Booster)	150HP 2800 Gpm (W / Booster)
33	SE 1/4 of SE 1/4 (Wellfield 3)	22	25	44	711-D 6300 / 8895 (New Well -Not Listed)	Application Pending		100HP 1000 Gpm	(
4	NE 1/4 of SW 1/4	26	25	44	712-D 3400 / 8893 (Irrigation)	Change 1-3-445	G3-27084 P 13400 / 10081	150HP 1200 Gpm	
5	NW 1/4 of NW 1/4	26	25	44	713-D 1400 / 8893 (Irrigation)	(Changed to Municipal) Change 897 (Changed to Municipal)	5471-A 3100 / 3360 (Community of Veradale)	250HP 2200 Gpm	
5	SE 1/4 of NE 1/4	22	25	44	6672-A 4000 / 3640 (April - September)	896-D 1100 / 365 (Legal Wrong - Land Limited)	G3-27084 P 13400 / 10081	500HP 4000 Gpm	
7	NE 1/4 of NW 1/4	23	25	44	626-A 300 / 203 (Land Limited)	995-D 300 / 203 (Land Limited)		* *	
3	NE 1/4 of SE 1/4 (Wellfield 8-9-10)	23	25	44	G3-27084 P 13400 / 10081			400HP 3800 Gpm	
)	NE 1/4 of SE 1/4 (Wellfield 8-9-10)	23	25	44	G3-27084 P 13400 / 10081			400HP 3300 Gpm	
Γotals						00 Gpm 11 Acre Feet per Year		30,600	Gpm

The maximum annual withdrawal appears to be 10,081 Acre Feet per Year. This amount occurs on Permit No. G3-27084 P. The actual annual use for the entire District peaked at approximately 9,400 Acre Feet per Year in 1994. The total use for the District has exceeded the total permitted amount in the past. However, since the elimination of the unmetered irrigation system and metering of all water in 1985, the peak use has not exceeded the permitted total.

Year	Water Withdrawn
	In Gallons
1985	2,425,995,000
1986	2,416,442,500
1987	2,403,147,300
1988	2,298,448,150
1989	2,127,504,200
1990	2,037,389,600
1991	2,398,292,300
1992	2,252,399,300
1993	2,318,954,000
1994	3,060,806,000
1995	2,380,193,000
1996	2,498,138,000

At this time the water from all of the wells is pumped into a common distribution system, from which all uses take their water. All water used, except for fire protection, is metered. All irrigation, domestic, commercial, industrial water is delivered through meters. Only fire hydrants and fire sprinkler systems are unmetered (sprinkler systems require detection equipment that sets off an alarm if there is any water flow).

All wells are used on a continuous basis except for Well No. 1, which is winterized because the discharge piping is exposed to the elements. There is a plan to insulate this piping so that this pump can be used all year. This well is located at our main office site and would be ideal for standby generation which would run both the pump and our office.

III. Changes Required to Existing Permits

The following table lists the different permits, the well they apply to and the changes that are needed to match the existing use of the facilities:

Permit No.	Well No.	Appli	cation for Change
709-D	1	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
710-D	21 22	a. b. c.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system. Change location of well to reflect abandonment of the two old wells and the drilling of the two new wells. (The existing permit only lists one well.)
711-D	3 33	a. b. c.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system. Change permit to add second well (No. 33) to this site. County paid for this well as compensation for abandonment of old well at Valleyway and Sullivan.
712-D w/ Change No. 1-3-445	4	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
713-D w/Change No. 897	5	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.

5471-A	5	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
		c.	Change place of use from "Community of Veradale" to "the area served by Vera Irrigation District No. 15".
6672-A	6	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
		c.	Change time of use to Continuous.
896-D	6	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
		c.	Change location of the point of withdrawal to correct location within the SE 1/4 of the NE 1/4 of Section 22-25-44. The existing permit incorrectly locates this well within the SE 1/4 of the NW 1/4 of Section 22-25-44.
		d.	Change the place of use to "the area served by Vera Irrigation District No. 15".
626-A	7	a. b.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system.
		c.	Change the place of use to "the area served by Vera Irrigation District No. 15".
995-D	7	a. b. c.	Change permit to reflect current use of well. Change permit to include all wells and integrate the entire system. Change the place of use to "the area served by Vera Irrigation District No. 15".

G3-27084P 4 a. Change permit to reflect current use of well.
6 b. Change permit to include all wells and integrate the entire system.
9

VI. Current and Future Service Areas

The maps on page 7 and 8 show the current areas of service and the anticipated areas that will need service in the next 20 years. Vera is currently updating their long range plan. This plan projects 20 years into the future. Vera is using this 20 year criteria in these applications for change to be consistent with the plan.


Over the past couple of years, Vera has had discussions with several individuals and organizations representing land in the area marked as future service. Most of this land has been included in one proposal for water service, some in several. There have been discussions with parts of Mica and Freeman. The local water conditions are worsening and it appears that within the 20 year planning horizon, much of the water for this area will be pumped from the Valley Aquifer.


V. Future Well Sites

Over the last ten years Vera has drilled test wells at property Vera own's at 16th and Sullivan, Well No. 2, Well No. 3, Well No. 4, and Well No. 8-9. The results of these test wells and historical records have shown us that the locations for future wells are limited.

16th and This site showed high clay contents and poor aquifer depth.
Sullivan Wells on this site would have limited production.

No. 2 The new No. 2 site showed extremely good potential for wells, 4 additional wells could be drilled on this site.





- No. 3 This site showed good gravel, but a shallow aquifer.

 Deepening the existing wells, and drilling additional wells on this site would have limited benefit. Any new wells would have limited output.
- No. 4 The test well showed that this site has a very shallow aquifer and that the soil just below the existing hand dug well is mostly clay. There is no potential for new wells and the possibility of deepening the existing well would be limited to just a couple of feet. This well also has water almost twice as hard as the rest of the wells in the District, which limits when the well is used.
- No. 5 This well is surrounded by sand and has pumped sand into the system in the past. No potential for additional wells exists at this location.
- No. 6 This is a large lot in the center of the best test wells, although no test well has been drilled yet, this site has the most potential for additional wells.
- No. 8-9 The test well on this site and the two existing production wells are excellent. There is room for one additional well, No. 10, at this site.

As a result of this information we would like to request the following changes to existing permits to reflect our planned future wells:

Permit No.	Well Field	Future Wells
710-D	2	23,24,25,26
6672-A 896-D G3-27084 P	6	62,63,64,65
G3-27084 P	8-9-10	10

Well drilling schedules and sizes will depend on many factors. :

- 1. Operating economics of many small wells vs. fewer large wells.
- 2. Construction economics of many small wells vs. fewer large wells.
- 3. Cost of power (on peak vs. off peak).
- 4. Construction and operating economics of storage vs. wells.
- 5. Remaining well drilling sites.

VI. Future Demand and Annual Withdrawal

As referenced earlier, the District is currently preparing the update to the long range plan. This plan will look at the land use within the future service area, evaluate the effects of the Growth Management Act and project growth for the next 20 years.

From this information the District expects to identify the potential for future instantaneous needs and for additional annual withdrawal. This information will be finalized within the next couple of months. Until that time we are estimating that the peak demand will be approximately 42,000 Gpm and the annual withdrawal will be approximately 14,000 acre feet per year. Please use this information for these permit applications until such time as the long range water plan is completed and forwarded for your use.

The actual drilling of wells will be based on this information, the economics and operating characteristics of fewer large wells vs. more smaller wells and on the cost of additional storage capacity.

VII. Costs

We understand the costs of these applications are as follows:

Cost
\$32.00
Paid
Paid
\$16.00

713-D	\$10.00
5471-A	\$14.00
6672-A	\$18.00
896-D	\$10.00
626-A	\$10.00
995-D	\$10.00
G3-27084 P	Paid
4. 1	
Total	\$120.00

The check for this amount is attached.

VIII. SEPA

An environmental checklist and determination of non-significance has been completed and was included for the pending applications for change to permits no. 710-D, 711-D, and G3-27084 P. The proposed changes to this information is minor, and would not change the determination previously made for these applications. Attached is a draft checklist for the 8 new applications for change.

File Original and First Copy with Department of Ecology second Copy — Owner's Copy hird Copy — Driller's Copy

UNIQUE WELL LD. # AAL 5

STATE OF WASHINGTON

Water Right Permit No.

710 - D

1)	OWNER: Name UERA IRRIGATION DIST # 15 Add	1888 NORTH GOLFLERGREEN RD. DERADALE	WA
2a)	LOCATION OF WELL: COUNTY SPOKANE STREET ADDRESS OF WELL (or nearest address) SPRINGFIL	NE 1/4 SE 1/4.800 14 T. 25 (N) R 4 5LD + SULLIVAN RD	14 w.m.
3)	PROPOSED USE: Domestic Industrial Industrial Municipal Industrial Test Well Municipal Other Industrial Industr	(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION Formation: Describe by color, character, size of material and structure, and show thickness and the kind and nature of the material in each stratum penetrated, with at least one entre	of aquiters
4)	TYPE OF WORK: Owner's number of well	Change of information. MATERIAL FROM GRAVEL + SAND 3" MINUS O	то
5)	Despend Cable M Driven Despend Despend Driven Despend		148
6)	CONSTRUCTION DETAILS: Casing installed: 6 Diam. from + 4 ft. to 300 ft. Welded Diam. from ft. to ft. Uner installed Diam. from ft. to ft. Diam. from ft. to ft.	A MED SAND 183 A SAND + GRAVEL 2 NINUS 190 A MED SAND + GRAVEL 1 MIN 249 A FINE SAND 293	190 249 293 296 300
	Perforations: Yes No □ Type of perforation used MILIS INIFE SIZE of perforations in. by 25 in. tt. to 249 ft. perforations from ft. to ft. perforations from ft. to ft.	A WATER BEARING ZONES	
	Screens: Yes No Manufacturer's Name Type	F-STERN RANGEME LINE	
(7)	PUMP: Manufacturer's Name		
(8)	WATER LEVELS: Land-surface elevation above mean sea level Static level	Work Started APRIL 14 Work Started APRIL 14	
	WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No lif yes, by whom? Yield:gal./min. withtt. drawdown afterhrs. " " " " Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Time Water Level Time Water Level Time Water Level	WELL CONSTRUCTOR CERTIFICATION: I constructed and/or accept responsibility for construction of this well, compliance with all Washington well construction standards. Materials us the information reported above are true to my best knowledge and belief. NAME HOLMAN DRILLING CORPORATION (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT) Address E 3 4 1 G 9 7 H AUE SPOINABLE ((Signed) (WELL DRILLER)	UA
	Date of test Bailer test gal./min. with ft. drawdown after hrs. Airtest gal./min. with stem set at ft. for hrs. Artesian flow g.p.m. Date Temperature of water 56° Was a chemical analysis made? Yes No	Contractor's Registration 758 14 Date (CT) (USE ADDITIONAL SHEETS IF NECESSARY)	1994

No 🔀

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

Start Card No. W 044855

UNIQUE WELL LD. # AAL 532 710-D Water Right Permit No.

41	OWNER: Name UERA IRRIGATION DIST # 15 Addr	NORTH GOLEUERGREEN RD. LERI	ADALE	WA.
	LOCATION OF WELL: County SPOKANE STREET ADDRESS OF WELL (or nearest address) SPRING FIELD	NE 14 SE 14 Se 14 T. Z.	<u> </u>	44 w.m.
(3)	PROPOSED USE: Domestic Industrial Municipal	(10) WELL LOG or ABANDONMENT PROCEDURE DE Formation: Describe by color, character, size of material and structure, and s		
(4)	TYPE OF WORK · Owner's number of well 2 - 1	and the kind and nature of the material in each stratum penetrated, with a change of information.		
/	Abandoned New well Method: Dug Bored Despend Cable Driven	GRAUEL + SAND	FROM	10 /19
(5)	Prilled 265 feet, Depth of completed well 265 feet.	* COARSE SAND * SAND + GRAUEL 2"MINUS * SAND + GRAUEL 4" MINUS	148	171
(6)	CONSTRUCTION DETAILS:	* MED SAND	183	190
(0)	Casing installed: 20 Diam. from	A SAND + GRAVEL 2" MINUS * MED SAND+GRAVEL 1" MINUS	190	265
	Perforations: Yes □ No ☑ Type of perforator used in. by	* WATER BEARING ZON	ES	
	Screens: Yes No			
	Gravel placed fromft. toft.	IN ECET WEST		
	Surface seal: Yes No To what depth? 72 tt. Material used in seal NEAT CEMENT CHOUT Did any strata contain unusable water? Yes No	001 1-2 1994		
(7)	PUMP: Manufacturer's Name	105		
(8)	WATER LEVELS: Land-surface elevation above mean sea level Static level / O / ft. below top of well Date /	West Spread APPOIL 15 10956 AM BA	27	94
(9)	WELL TESTS: Drawdown is amount water level is lowered below static level	Work Started APRIL 15, 197 Completed 19 AV	77	
	Was a pump test made? Yes X No 1, if yes, by whom? DRITTER Yield: 2500 gat./min. with //3 if drawdown after / hrs. " 3500 " //0" " 4 " Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Time Water Level " Time Water Level Time Water Level Water Level Time Water Level Time Water Level	I constructed and/or accept responsibility for construction compliance with all Washington well construction standards the information reported above are true to my best knowledge NAME HOLMAN DRILLING COR (PERSON, FIRM, OR CORPORATION) (TYPE OR Address E 3410 9711 AUE SCOK (Signed) (Signed)	s. Materials pe and belie	used and
	Bailer test	Contractor's Registration No. 227, 758 L+1 Date Oct. (USE ADDITIONAL SHEETS IF NECESSA	10	

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

Temperature of water 50° Was a chemical analysis made? Yes

WATER WELL REPORT

Sta

(USE ADDITIONAL SHEETS IF NECESSARY)

Start Card No. W 0 4 5 5 0 2

UNIQUE WELL I.D. # AAL 533

STATE OF WASHINGTON

Water Right Permit No.

710-D

OWNER: Name UFRA IRRIGATION DIST # 15	Address NORTH GOI EVERGREEN RD. UERA DA	IE WA.					
LOCATION OF WELL: COUNTY SPOKANE	NE 1/4 SE 1/4 Sec 14 125	(N.)A 44 W.N					
a) STREET ADDRESS OF WELL (or nearest address) SPRINCESE							
) PROPOSED USE: Domestic Industrial Municipal		(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION					
Irrigation DeWater Test Well Other D	Formation: Describe by color, character, size of material and structure, and show and the kind and nature of the material in each stratum penetrated, with at leach change of information.						
(If more than one)	MATERIAL F	FROM TO					
Abandoned New well A Method: Dug Bored C Despend Cable M Driven C	GRAUEL + SAND	0 119					
Reconditioned Rotary Jetted	THE STATE STATE	19 148					
DIMENSIONS: Diameter of well 20 inche		48 171					
Drilled 265 feet. Depth of completed well 265		71 183					
CONSTRUCTION DETAILS:		83 190					
1. // 211		90 749					
Welded Diam. from ft. to	t	249 765					
Threaded Diam. from ft. to	it.						
Perforations: Yes No X	A WATER BEARING ZONES						
Type of perforatior used		-					
perforations fromft. to							
perforations fromft. to							
perforations from ft. to	ft.						
Screens: Yes 🔀 No 🗌							
Manufacturer's Name JOHNSON							
Type STAINLESS STEEL Model No. TELECO							
Diam. 20 Slot size 200 from 210 ft. to 265							
	n. DEGETER						
Gravel packed: Yes No X Size of gravel		* * * * * * * * * * * * * * * * * * * *					
Gravel placed fromft. to	n OCT 2 1884						
Surface seal: Yes X No To what depth? 22	ft.						
Material used in seal NEAT CEMENT GROUT							
Did any strata contain unusable water? Yes No X							
Type of water? Depth of strata Method of sealing strata off							
Type: H.P							
WATER LEVELS: Land-surface elevation							
Static level	4						
Artesian pressure lbs. per square inch Date							
Artesian water is controlled by(Cap, valve, etc.)		15 0					
) WELL TESTS: Drawdown is amount water level is lowered below static level	Work Started JUNE 2 , 19:11 completed JULY	/, 19 9					
Was a pump test made? Yes No No If yes, by whom?	WELL CONSTRUCTOR CERTIFICATION:						
Yield:gal./min. withtt. drawdown after h	constructed and/or accept responsibility for construction of	this well, and it					
11 11 11	" compliance with all Washington well construction standards. In the information reported above are true to my best knowledge a						
11 11 11	" 41.						
Recovery data (time taken as zero when pump turned off) (water level measured from we top to water level)	NAME HOLMAN DRLING ORD	NT					
Time Water Level Time Water Level Time Water Level	1 1						
	Address F3410 9TH ALIF SPOKE	ENE UII					
	(Signed) (Signed) License M	No. 0189					
Date of test	(WELL DRILLER)						
Bailer testgal./min. with ft. drawdown after h							
Airtestgal./min. with stem set atft. for h	rs. No. 227,758 Lat Date Oction	, 19_94					
Artesian flowg.p.m. Date							

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION AND DEVELOPMENT

WELL LOG		CLA	
Date 1908 19	Ce	rt.	709-D
Record by R. Longacre		1	
Source Decla. Claim of G.	W		
Location: State of WASHINGTON			
County Spokane	-		
Area			
			1,38
Map	AA E.		
Drilling Co.	THE REAL PROPERTY.	DIAMPLAN	OF RESTION
Address			
Method of Drilling dug	n-		19
Owner Vera Irrigation Dis			
Address Veradale Wash.			
Land surface, datum ft. above below			431 2
below -			
CORRE- LATION MATERIAL		THICKNES (feet)	B DEPTH (feet)
ing log of materials, list all casings, perforations, screen no record			
no record			-
Pump Test:		-	-
Dim: 170' x 6'			
SWL: 140!		-	
Dd: 21	100	-	
Yield: 7100 g.p.			
Pump: 6000 g.p.n		B.D.	TI a
300 g.p.m.		-	
Motor: 300 hp.	su np,	30hp	+
		-	-
		-	-
	-		
		-	-
Tura up	Sheet		sheets

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

Temperature of water \(\sum_{\text{\text{Yes}}} \) Was a chemical analysis made? Yes \(\sum_{\text{\text{Yes}}} \)

WATER WELL REPORT

Start Card No. W 0 45501

UNIQUE WELL I.D. # AAL 534

STATE OF WASHINGTON

Water Right Permit No. _

710 - D

(USE ADDITIONAL SHEETS IF NECESSARY)

1	OWNER: Name VERA IRRIGATION DIST# 15 Addr	1965 NORTH GOLEVERGREEN RD. VERAL	DALE (UA.
(2) (2a)	LOCATION OF WELL: County SPOKANE STREET ADDRESS OF WELL (or nearest address) /6TH + EV	SE 1/4 SE 1/4 Sec 22 Tax	5 (N) R_	44 W.M.
(3)	PROPOSED USE: Domestic Industrial Municipal M	(10) WELL LOG or ABANDONMENT PROCEDURE DI	ESCRIPTION	ON
	Irrigation □ DeWater Test Well □ Other □	Formation: Describe by color, character, size of material and structure, and and the kind and nature of the material in each stratum penetrated, with a change of information.		
(4)	TYPE OF WORK: Owner's number of well 3-3	MATERIAL	FROM	то
	Abandoned New well Method: Dug Bored Driven Deepened Cable Method	COARSE SAND	0	10
	Despend Cable X Driven Despend Reconditioned Reconditioned Despend	SAND + GRAVEL 3 MINUS	10	160
(5)	DIMENSIONS: Diameter of well 20 inches.	A SAND+GRAVEL 3"MINUS	160	198
(3)	Drilled 257 feet. Depth of completed well 257 ft.	BOULDER	198	201
	Simes S 7 leet. Depth of completed well	A SAND + GRAVEL 3" MINUS	201	354
(6)	CONSTRUCTION DETAILS:	COARSE GRAVEL 3"MINUS	254	256
	Casing installed: 20 Diam. from + 4 ft. to 210 ft.	GRANITE ROOK	256	257
	Welded ☑ " Diam. fromft. toft. Liner installed □ Threaded □ " Diam. fromft. toft.	GALANTIC KOCK	7:3 (0	
	Parferetiona, Ves 🗆 No 🕅	A 100000 DEADING 700		
	Perforations: Yes No 🔼 Type of perforator used	A WATER BEARING ZON	5	
	SIZE of perforations in. byin.		-	1
	ft. toft.			
	perforations fromft. toft.			
			· ·	
	Screens: Yes 🛮 No 🗌 Manufacturer's Name		-	
	Type STAINLESS STEEL Model No. JELESCOPE			
	Diam. 20 Stot size /40 trom 210 ft. to 2/2 ft.	A Company of the Comp		-
	74 750 7:3			
	Gravel packed: Yes No Size of gravel	131		
10	Gravel placed fromft. toft.	UM I COV 110		
_	Surface seal: Yes X No To what depth? 20 ft.			
	Material used in seal NEAT CEMBAT GROUT	- / / ·		
	Did any strata contain unusable water? Yes \(\square\) No \(\square\)	- 4.5		
	Type of water? Depth of strata			
	Method of sealing strata off		1	
		1,54		
(7)	PUMP: Manufacturer's Name			
	Type: H.P			
(8)	WATER LEVELS: Land-surface elevation			
	Static level	1		
	Artesian pressure lbs. per square inch Date			
	Artesian water is controlled by			
	(Cap, valve, etc.)	Work Started JULY 16, 1991 Completed SEP	T 10	19 94
(9)				
	Was a pump test made? Yes No X If yes, by whom?	WELL CONSTRUCTOR CERTIFICATION:		
	Yield: gal./min. with ft. drawdown after hrs.	I constructed and/or accept responsibility for construction		
	и и и	compliance with all Washington well construction standard the information reported above are true to my best knowled		
	n n n n			ı.
	Recovery data (time taken as zero when pump turned off) (water level measured from well	NAME HOLMAN DRILLING CORPORATION) (TYPE OF	P	
	top to water tevel) Time Water Level Time Water Level Time Water Level			
	THE TRACE LOVE THE TRACE LOVE	Address E 3410 9TH AUE SPOKA	ME U	IA.
		0 210110		
1		(Signed) (Signed) (WELL DRILLER) Licen	se No. O	04
	Date of test			
	Bailer testgal./min. with ft. drawdown after hrs.	Contractor's Registration		1
	Airtest gal./min. with stem set at ft. for hrs.	No. 227, 758 L+1 Date OCT	10	1994

ile Original and First Copy with epartment of Ecology econd Copy — Owner's Copy hird Copy — Driller's Copy

ATER WELL REPORT STATE OF WASHINGTON



Application No.

Permit No. 63-270

1) OWNER: Name UERA WATER & POWER	Address BOX 630 SPOKANE WA
	_SE , SE, sec 2 2725N, R44WM
earing and distance from section or subdivision corner	
3) PROPOSED USE: Domestic Industrial Municipal	(10) WELL LOG:
Irrigation Test Well 🕱 Other	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
4) TYPE OF WORK: Owner's number of well will #3	MATERIAL FROM TO
New well Method: Dug ☐ Bored ☐ Deepened ☐ Cable Method: Driven ☐	GRAVEL + SAND 2" MINUS 0 138
Reconditioned Rotary Jetted	GRAVEL & SAND 1" MINUS 138 159
E) DIMENCIONS.	BOULDER # 159 /62
5) DIMENSIONS: Diameter of well inches. Drilled 250 ft Depth of completed well 250 ft.	GRAVEL + SAND 1" MINUST 162 195
Drined Depth of completed well	SAND COURSE # 195 197
6) CONSTRUCTION DETAILS:	GRAVEL + JAND 1" MINUST 197 212
Casing installed: 6 " Diam. from + 4 ft. to 2.50ft.	GRAVEL + SAND Z"MINUS \$ 212 250
Threaded" Diam. from ft. to ft.	
Welded 🔀ft. to ft. to ft.	
Perforations: Yes No 🗆	
Type of perforator used MILLS TNIFE	* INDICATES UNTER BEARING
SIZE of perforations in by 2 in 200 ft.	ZONE
perforations from ft. to ft.	
Screens: Yes No A	
Manufacturer's Name	
Diam Slot size from ft. to ft.	
Diam. Slot size from ft. to ft. to ft.	
Gravel packed: Yes No Size of gravel:	
Surface seal: Yes No D To what depth? 20 ft.	
Material used in seal NEAT CEMENT	
Did any strata contain unusable water? Yes \(\sum \) No \(\sum \) Type of water? Depth of strata	
Method of sealing strata off	In E G E IV E IN
7) PIIMP: N/A	
(7) PUMP: Manufacturer's Name // A	e ion
	TIT B 1999
(8) WATER LEVELS: Land-surface elevation above mean sea level	
Static level 154.5 ft. below top of well Date 2-1-90. Artesian pressure lbs. per square inch Date.	DEPARTMENT OF ECOLOGY SPOKANE REGION
Artesian water is controlled by	
(Cap, valve, etc.)	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started JAN 11, 1990 Completed FEB 9 1990
Was a pump test made? Yes \(\) No \(\) If yes, by whom? \(\) With the drawdown after hrs.	WELL DOLLED'S CHAMENEN.
Yield: gal./min. with ft. drawdown after hrs.	A STATE OF THE PROPERTY OF THE
n n n n	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Recovery data (time taken as zero when pump turned off) (water level	
measured from well top to water level) Time Water Level Time Water Level Time Water Level	NAME HOLMAN DRILLING CORP
	Address = 3410 914 AUE
	P 41
Date of test	[Signed] (Linold & Holman
Bailer test /5 gal/min with O ft. drawdown after 4 hrs.	(Well Driller)
Artesian flowg.p.m. Dateg.p.m. Date	License No. 0 / 8 9 Date 3 - 4 1996
Compensative of Water Was a chemical analysis made? Yes No M	Lancing Months and Market Mark

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION AND DEVELOPMENT

WELL LOG		No. Dec Tay	#695
Date 1909 19			#711-D
Record by W. R. Longs		_	
Source G. W. Decla. C]		_	
Location: State of WASHINGTON			72
County Spokane		-	
Area			
Map		-	
SE 1/2 SE1/4 sec. 22 T. 25	N., R. 44	DIAGR	AM OF SECTION
Drilling Co.			
Address			
Method of Drilling			
Owner Vera Irrigation Veradale, Wa	n Dist.	#15	
Address Veradale, Wa	asn.		
Land surface, datumf	above		
	Delow		
CORRE- LATION MATERIA	1	THICK	
(Transcribe driller's terminology liter material water-bearing, so state and record			
	sions, sereona, occ		
no record	sions, externa, occ	.,	
no record Pump Test:			
no record Pump Test: Dim: 1751			
no record Pump Test: Dim: 175' SWL: 145'			
no record Pump Test: Dim: 175' SWL: 145' Dd: 3'	x 56 ⁿ		
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630	x 56 ⁿ		D m.
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent	x 56 ⁿ O g.p.m	6000 g	p.m.,
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Cent irrigation	x 56 ^m O g.p.m. rifugal,	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic
no record Pump Test: Dim: 175' SWL: 145' Dd: 3' Yield: 630 Pump: Gent irrigation Motor: 300	x 56 ^m O g.p.m. rifugal, 300 g.	6000 g	omestic

TATE OF WASHINGTON DEPARTMENT OF CONSERVATION AND DEVELOPMENT

WELL .	LUG	O. DAGT	AL II	777-
Date	May 20 , 1920	Cer	t. #	896-D
Record	by John E. Gray	_		
	G. W. Decla. Claim			
	: State of WASHINGTON			
	ty Spakane		23	
	nty Dockstie			
Map	1/4 NW 1/4 sec. 22 T. 25 N., R. 44	E		SECTION
	Co	W. DIA	WRAM OF	SECTION
Addı			-	
1.000	hod of Drilling dug	Dati M	0 7 7	E 10 45
New	ara Irrigation Co.	Date_M	ay I	19-4-7
	ress Opportunity, Wash.			
I and so	rface datum # above			
1.3760 310	rface, datumft. above below			
CORRE- LATION	MATERIAL		CENESS	DEPTH (feat)
	materials, list all casings, perforations, screens, etc. 10 record			
Pump	Test:			
	Dim: 99' x 98"			,
	SWL: 77'			
	Dd: 13'			1
	Yield: 1850 g.p.m.			
	Casing: 98" dia. 6"	thick	con	crete
	from 0' to 38': 96'			ated
	casing from 38' to 8	31: B	- 1	
	steel casing from 83			
	Pump: Pomona 10", ti			
	Motor: 75 hp, electi	eic		
Turn up		Sheet	of	sheets
-				

Appl. 9128 Per. 8689

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION DIVISION OF WATER RESOURCES

WELL			
Record	by Driller Driller's record		
Source.	Driller's record		
Location	n: State of WASHINGTON		0
Cou	inty Spokane		
Are	ea		
Ma	p		
SE	14 NE 14 sec. 22 T.25 N., R. 44E E.	1 . 1	
Drilling	Co Hothian Dilling Colp.		
٨٨	E. 3410 9th Spokane, Washi	ngton	
T/Co	thad of Dailing Cable Date		10
Owner	thod of Drilling cable Date Vera Irrigation District #1	5	19
Owner	dress Veradale, Washington		
Add	aress above	***************************************	
Land st	urface, datum		
SWL:	Date	Dims.:	*************
CORRE-	MATERIAL	From (feet)	To (feet)
	inscribe driller's terminology literally but paraphrase as ial water-bearing, so state and record static level if reprind-surface datum unless otherwise indicated. Correlate we. Following log of materials, list all casings, perforation domestic supply and irrigation	.,	
	0-99 drilled by others		
	gravel 2" minus *	00	110
	" 10" minus *	99 110	110
-	" 4" minus *	120	120
	Boulders		
		128	130
	gravel 4" minus *	130	133
	1" minus *	133	140
	" 4 " minus *	140	150
	10" minus *	150	160
	* water bearing		
	Casing: 24" from +2' to 134.5		
	Screen: johnson stainless ster	1 24" +	elescop
	24" slot size 165 from 134'		the same of the same of the same of
	24" slot size 187 from 139'	to 144'	
	24" slot size 200 from 144'	to 150'	
Turn up			sheets

WATER WELL REPORT STATE OF WASHINGTON

Application	n No.	 	************
Dawnit Ma	63	 70	74

N GOI FUERGREEN UERADALE 1) OWNER: Name / ERA WITTER + LOCATION OF WELL: County..... -SENNEW Sen23 TZ5N RH SPORAME Bearing and distance from section or subdivision corner 300FT WEST OF INTESPECTION OF SULLIVAN + (10) WELL LOG: (3) PROPOSED USE: Domestic | Industrial | Municipal | Irrigation | Test Well | Other Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Owner's number of well (if more than one).... (4) TYPE OF WORK: MATERIAL New well A Method: Dug Bored | 49 GRAVEL Deepened Cable DA Driven | 100 89 Jetted Reconditioned [Rotary [100 (5) DIMENSIONS: Diameter of well inches. Drilled 210 ft. Depth of completed well 210 # COARSE SAND + 130 GRAVE (6) CONSTRUCTION DETAILS: Casing installed: 6" Diam. from 1.5 tt. to 210 tt. 189 Threaded [Welded 💟 Perforations: Yes No 🗆 Type of perforator used MILLS KNIFF SIZE of perforations in by 3 in SO perforations from 188 ft to 208 ft perforations from ft. to ft. perforations from ft. to Screens: Yes | No | Manufacturer's Name Type.... INDICATER WATER READING STRATE Slot size from ft. to Diam. Slot size from ft. to ft. Gravel packed: Yes No No Size of gravel: Gravel placed from ft. to ft. Material used in seal NEDT CEMENT Did any strata contain unusable water? Yes No M Type of water?..... Depth of strata... Method of sealing strata off..... (7) PUMP: Manufacturer's Name.... DEPARTMENT OF EUROSY Туре: (8) WATER LEVELS: Land-surface elevation above mean sea level.... ft. below top of well Date.... Artesian pressurelbs. per square inch Date... Artesian water is controlled by..... (Cap, valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: Work started JAM 20 19.87 Completed FEB // ... 1987 Was a pump test made? Yes [] No [2] If yes, by whom?... WELL DRILLER'S STATEMENT: ft. drawdown after Yield: gal./min. with hrs. ** This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. ** Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) 401MAN DRILLING Water Level | Time Water Level | (Person, firm, or corporation) (Type or print) Date of test [Signed].. Bailer test gal./min. with ft. drawdown after. g.p.m. Date. License No.

stard cd # 31253

Seco	rtment of Ecology nd Copy — Owner's Copy id Copy — Driller's Copy STATE OF W			
(1)	OWNER: Name VERA WATER + POWER	Address PA. Ray 1.30 HERRANALI	E WA	99037
	LOCATION OF WELL: County SPOKA4E			
	ing and distance from section or subdivision corner	, a		
(3)	PROPOSED USE: Domestic Industrial Municipal	(10) WELL LOG:		
, ,	Irrigation □ Test Well □ Other □	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of t	l and struc	cture, and
(4)	TYPE OF WORK: Owner's number of well	stratum penetrated, with at least one entry for each cl	nange of f	TO
` '	New well 💢 Method: Dug 🗆 Bored 🗆	SAND + GRAUGE J" MIN	FROM	116
	Deepened ☐ Cable ☑ Driven ☐ Reconditioned ☐ Rotary ☐ Jetted ☐	* SAND + GRAVEL 2" MINUS	116	176
		A CEMENT GRAVEL + SAND		
(5)	DIMENSIONS: Diameter of well 20 inches. Drilled 240 ft. Depth of completed well 240 ft.	HARD	176	193
	Drined Legal to Depth of completed well 1.0 It.	A GRAVELA SAND 2" MINUS	193	231
(6)	CONSTRUCTION DETAILS:	* CEMENTED SAND + GRAVEL		235
	Casing installed: 20" Diam. from # 2 ft. to 190 ft.	* GRAVEL & SAND ?"MUUS	500	240
	Threaded Diam. from ft. to ft.			
	Welded Diam. from ft. to ft.		,	
	Perforations: Yes No No	* INDICATES WATER BE	ARING	<u></u>
	Type of perforator used	STRATA		
	perforations from ft. to ft.			
	perforations from ft. to ft.			
	perforations from ft. to ft.			
	Screens: Yes Y No 🗆			_
	Screens: Yes No Double Tourist Name Tourist Name Tourist Name			
	Type STAINLESS STEEL Model No. TELESCOPE Diam. 30 Slot size 150 from 190 ft. to 240 ft.			
	Diam Slot size from ft. to ft.			
	Gravel packed: Yes No X Size of gravel:			
	Gravel placed from ft. to ft.			
	Surface and			
	Surface seal: Yes No D To what depth? 20 ft. Material used in seal NEAT CEMENT			The same of the same of
	Did any strata contain unusable water? Yes \(\scale \) No \(\scale \)			
	Type of water? Depth of strata			
-	Method of sealing strata off			
(7)	PUMP: Manufacturer's Name			
	Type: H.P			
(8)	WATER LEVELS: Land-surface elevation above mean sea level			
-	ic levelft. below top of well Date 2-12-91		-	
Arte	sian pressurelbs. per square inch Date			
	Artesian water is controlled by(Cap, valve, etc.)			
(9)	WELL TESTS: Drawdown is amount water level is lowered below static level	Work started No. U. 29, 1990. Completed FI	5R 15	91
Was	a pump test made? Yes No I If yes, by whom? DRILLER.		20 /3	, 19
Yiel	d: 2500 gal./min. with • 75 ft. drawdown after / hrs.	WELL DRILLER'S STATEMENT:		
	3000 1,60	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report is
Ren	yery data (time taken as zero when pump turned off) (water level	The same of my manufacture and belief,		
	measured from well top to water level) ime Water Level Time Water Level Time Water Level	NAME HOLMAN DRILLING (Person, firm, or corporation) (Con F	rint)
1	0 116 U Yın 115	Address E 3410 9+4 AUE S	POITA	HE WI
	2-12-91	J. 01 511	0 4	7 600
	Date of test 2-12-91 er test gal/min. with ft. drawdown after hrs.	[Signed] (Well Driller)	em	an
	esian flow		011 0	01
Ten	nperature of water	License No. 0189 Date MARK	~H	, 19.7.1.

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

ATER WELL REPORT

-	Sh.	
-		

Application No.

Per 23 27084 STATE OF WASHINGTON 1) OWNER: Name UERA WATER+ POWER Address N GOI EVERGREEN VERADALE WA 55 WE 1 Sec 23 725N R44 LOCATION OF WELL: County..... JEST OF INTERSECTION OF SUILINAN +87 Bearing and distance from section or subdivision corner 300 FT (10) WELL LOG: (3) PROPOSED USE: Domestic | Industrial | Municipal X Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Other Irrigation | Test Well | (4) TYPE OF WORK: Owner's number of well (if more than one).... MATERIAL FROM New well X₀ Method: Dug Bored | GRAVEL 3" MINUS Cable Driven | Deepened BOULDER AT 52'TO 55' Reconditioned | Rotary [Jetted GRAVEL 3" MINUS (5) DIMENSIONS: Diameter of well inches. GRAVEL 3" MINUS Drilled 215 ft. Depth of completed well 215 GRAVEL 3" MINUS + COARSE SAND (6) CONSTRUCTION DETAILS: Casing installed: 20 Diam. from + 2 tt. to 165 tt. " Diam, from ft. to ft. " Diam. from ft. to ft. Welded M Perforations: Yes | No | Type of perforator used..... A INDICATES CUATER BEARING STRAT SIZE of perforations in. by in. perforations from ft. to perforations from _____ ft. to ____ ft. Screens: Yes No [Manufacturer's Name U.O.P JOHNSON Type TE/ESCOPE Model No. TAJNIESS
Diam. 20. Slot size 160 from 165 ft. to 198 ft.
Diam. 20. Slot size 125 from 198 ft. to 215 ft. Gravel packed: Yes | No X Size of gravel: DEPARTMENT OF ECOLOGY Gravel placed from ft. to SPOKANE REGIONAL OFFIC Surface seal: Yes No D To what depth? 20

Material used in seal NEST CEMENT Did any strata contain unusable water? Yes Type of water?..... Depth of strata..... Method of sealing strata off..... (7) PUMP: Manufacturer's Name. (8) WATER LEVELS: Land-surface elevation above mean sea level... Static level //2 .ft. below top of well Date.... lbs. per square inch Date..... Artesian pressure Artesian water is controlled by..... (Cap. valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: Work started FEB 17 1987. Completed APRIL 6, 1987 Was a pump test made? Yes No I If yes, by whom? DRILLER. WELL DRILLER'S STATEMENT: Yield: 2500 gal./min. with 6 in. a. drawdown after hrs. IFT YIN 3500 This well was drilled under my jurisdiction and this report is " IFT SIN ,, true to the best of my knowledge and belief. 4500 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) MAN DRILLING CORPO
(Person, firm, or corporation) (Type or print) Time Water Level | Time Water Level Time Water Level 113.73 Date of test 4-2-8 Bailer test gal./min. with ft. drawdown after hrs. Date APRIL 21 1987 License No. O

WATER WELL REPORT



Application No.

Permit No. 63-27084 STATE OF WASHINGTON Address Box 630 SPURANE WA. (1) OWNER: Name UFRA WATER + POWER _ NE 1 SW 1 Sec 26 T 25 N. R 44 EWM LOCATION OF WELL: County 5 PORALE Bearing and distance from section or subdivision corner (10) WELL LOG: (3) PROPOSED USE: Domestic Industrial Municipal Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Irrigation | Test Well | Other П Owner's number of well WELL #2 (4) TYPE OF WORK: FROM MATERIAL New well Method: Dug Bored | M SAND + GRAUEL 3"MINUS 68 Cable X Driven [Deepened SAND COURSE 125 Reconditioned [Rotary [Jetted [SAND MED TOPINE 125 (5) DIMENSIONS: Diameter of well . inches. SAHO + GRAVELZ "MINUS A 135 Drilled 2.50 ft. Depth of completed well 2.50 ft. SAND HED TO FINE TRACES OF CLAY (6) CONSTRUCTION DETAILS: SAND FINE TRACE OFCLAY 218 242 Casing installed: 6 " Diam. from + 2 ft. to 250 ft. 242 SANDY Threaded [.." Diam. from ft. to ft. SAND FINE 744 250 Welded X " Diam, from ft. to ft. Perforations: Yes No D SIZE of perforationsin. by 20 perforations from 175 ft. to 180 ft. perforations from ft. to perforations from ft. to BEARING INDICATES WATER Screens: Yes | No | ZONE Manufacturer's Name.... Model No.... Type.. Diam. Slot size from ft. to Diam. Slot size from ft. to Gravel packed: Yes | No X Size of gravel: Gravel placed from ft. to ft. Surface seal: Yes No To what depth? Material used in seal NEAT CEMENT Yes 🗆 Did any strata contain unusable water? Type of water?..... Depth of strata.... Method of sealing strata off..... (7) PUMP: Manufacturer's Name.... Type: Land-surface elevation above mean sea level.... (8) WATER LEVELS: DEPARTMENT OF ECOLOGY SPOKANE REGIONAL OFFICE ft. below top of well Date 1-8-9lbs. per square inch Date..... Artesian pressure Artesian water is controlled by..... (Cap. valve. etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: 12 19 89 Completed JAN Work started DEC Was a pump test made? Yes [No M If yes, by whom?... WELL DRILLER'S STATEMENT: Yield: gal./min. with ft. drawdown after hrs. This well was drilled under my jurisdiction and this report is .. ** true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Corp HOLMAN DRILLING NAME..... Water Level | Time Water Level (Person, firm, or corporation) Bailer test 10 gal/min. with 0 ft. drawdown after 4 Artesian flow.....g.p.m. Date... Date 3 - 2. License No.

Temperature of water................. Was a chemical analysis made? Yes ເ≝ No □

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION DIVISION OF WATER RESOURCES Appli. #7938

WELL LOG Record by..... Source..... Location: State of WASHINGTON County Spokane NW 1/4 NW 1/4 sec 26 T 25 N., R. 44 E. Drilling Co..... Method of Drilling Dug Date
Owner Vera Irrigation District #15 Address 601 North Evergreen Road, Veradale, Land surface, datum tt above below below 157' 11" Date March 14 , 19 66 Dims.: 6' x 190' Land surface, datum..... From (feet) MATERIAL CORRE-LATION (Transcribe driller's terminology literally but raraphrase as necessary, in parantheses. If material water-bearing, so state and record static level if reported. Give depths in feet below land-surface datum unless otherwise indicated. Correlate with stratigraphic column, if feasible. Following log of materials, list all casings, perforations, screens, etc.) Domestic supply NO LOG AVAILABLE Deep well turbine Pump: Layne Bowler 100 h.p. Peerless 250 h.p.

Turn up

Sheet.....

.of...

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION AND DEVELOPMENT

WELL .		-		
Date	1912, 19	Cart.	_#7	13 <u>-</u> D_
Record	by W. R. Longacre			T _e
Source_	G. W. Decla. Claim			
ocation	: State of WASHINGTON			
	spokane Spokane			
Arca				
	1/ NW 1/ sec. 26 T. 25 N., R. 44 E.	DIA	GRAM O	F SECTION :
	Co			1 in 1 in 1
	ress			
	hod of Drilling dug	Date		19
Denor	Vera Irrigation Distri	ct. #	15	110
	ress Veradale, Wash.			
	rface, datum ft below			
Lunu.su	helow —		2.	
CORRE-	MATERIAL		CENESS (eet)	Durry (feet)
(Trai	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.)	as necessa l. Give der aphic colu	ry, in proths in femn, if fes	arentheses. est below land suble. Follow
(Trai	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reporter sturm unless otherwise indicated. Correlate with stratig	as necessa. I. Give der aphic colu	ry, in probabilities in feature.	arentheses, et below lan asible. Follow
(Trainaterial variates daing log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.)	as necessa l. Give der aphic colu	ry, in protest in femu, if fee	arentheses, et below lan asible. Follow
(Trainaterial variates daing log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratiging materials, list all casings, perforations, screens, etc.)	as necessa. L. Give der applic colu	ry, in problem in fea	arentheses. et below lam asible. Follov
(Transparent variation of the contract of the	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.)	as necessa. Give der applic column	ry, in problem in fea	arentheses. et below las sible. Pollov
(Trainaterial variates daing log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170 x 6	as necessa. L. Give der aphic colu	ry, in proths in fe	arentheses. et below lan asible. Pollov
(Transparent variates danglog of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m.	aptic colu	mn. if tes	arentheses. et below las suble. Pollov
(Tran naterial v surface da ng log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m.	aptic colu	mn. if tes	arentheses. Let below lass suble. Follow
(Tran naterial v surface da ng log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1'	400	mn. if tes	arentheses. Let below lass sable. Pollov
(Transparent variates danglog of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	arentheses. et below lass suble. Pollov
(Tran naterial v surface da ng log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	arentheses. et below las suble. Pollov
(Transparent variation of the contract of the	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	arenthesas. et below lass suble. Pollov
(Transparent variates danglog of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	arentheses. et below lass suble. Follow
(Transparent variation of the contract of the	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	arentheses. et below lass suble. Pollov
(Trainaterial variates daing log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	asible. Pollor
(Transparent variation of the contract of the	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	asble. Pollor
(Trainaterial variates daing log of	nscribe driller's terminology literally but paraphrase water-bearing, so state and record static level if reported atum unless otherwise indicated. Correlate with stratign materials, list all casings, perforations, screens, etc.) no record Test: Dim: 170' x 6" SWL: 140' Dd: 1' Yield: 1400 g.p.m. Pump: Centrifugal,	400	mn. if tes	asible. Pollor

WATER WELL REPORT STATE OF WASHINGTON



Application No.

(1) OWNER: Name GERA WATER + POWER	Address N GOI EUFRG-REEN UE	RADAL	E WA
") LOCATION OF WELL: County SPOKANE PT	TRACT 197- 1/4 NE 1/4 Sec 26 T.2	5 N. R.4	4.Ew.m.
aring and distance from section or subdivision corner 160' N & 16			
			J.V./
(3) PROPOSED USE: Domestic Industrial Municipal	(10) WELL LOG:		
Irrigation Test Well Other	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	the materio	u in each
(4) TYPE OF WORK: Owner's number of well # 8 A	MATERIAL	FROM	то
New well Method: Dug Dored D	GRAVEL + SAND I" MINUS	0	130
Deepened Cable Driven	COARSE SAND + GRAVEL I"MIN	130	14/7
Reconditioned Rotary Jetted	COARSE SAND	141	157-
(5) DIMENSIONS: Diameter of well inches.		157	11.11-
Drilled 260 ft. Depth of completed well 260 ft.	PER GRAVEL + SONO	131	177
	MED PINE SAND	137	103
(6) CONSTRUCTION DETAILS: WELL	COARSE SAND	113	7731
Casing installed: Diam. from ft. to ft.	FINE SAND + CLAY	193	2197
Threaded []	COARSE SAND	219	2295
Welded Diam. from ft. to ft.	FINE SAND + CLAY	529	2607
Perforations: Yes No	A WATER BEARING ZONE		
Type of perforator used	CARLIE BUILD THE	0.5.5	
perforations from ft. to ft.	CASING PULLED -WELL	HOHA	DONE
perforations fromft. toft.			
perforations from ft. to ft.	WELL BACKFILLED WIT	74	
~	CLURINATED DEA GRI	UBL	
Screens: Yes No No	FROM 260 FT TO 135	PT	
Manufacturer's Name	NEAT CEMENT SEAL DL	ACSP	
Type	FROM 135FT TO 122F	7	
Diam. Slot size from ft. to ft.	CLORINATED DEA GRAL	YEL	
	FROM 122FT TO 20FT		
Gravel packed: Yes No Size of gravel:	DRILLING MUD PLACED	FROI	4
Gravel placed from ft. to ft.		URFAC	
Surface and			
Surface seal: Yes No To what depth? ft.			
Material used in seal			
Type of water? Depth of strata			
Method of sealing strata off			
	The second of th		
(7) PUMP: Manufacturer's Name			
Type: H.P.	OCT = 9 1986		
(8) WATER LEVELS: Land-surface elevation	001 3 1366		
above mean sea level	BEPARAMENT OF ESSIGNY		
Static level ft. below top of well Date 7/10 De Artesian pressure lbs. per square inch Date	Sellada beduar of energy		
Artesian water is controlled by (Cap, valve, etc.)	व्याग्रिक्षक एक महत्त्वाच्या संक्रमहरू		
(Cap, valve, etc.)			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started 9/3 , 1986 Completed 9	1/26	1986
Was a pump test made? Yes \(\square\) No \(\mathbf{if} \) If yes, by whom?	1		
Yield: gal./min. with ft. drawdown after hrs.	WELL DRILLER'S STATEMENT:		
n n	This well was drilled under my jurisdiction	and this	report is
n n n	true to the best of my knowledge and belief.		
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)	Halman Dall is C	- ^ -	
Time Water Level Time Water Level Time Water Level	NAME MOLMAN DRILLING C	ORP	
		Type or pr	
	Address E 34/0 97H AUE S	POKO	XE W
	P 010410		
Date of test	[Signed] Churchel & John	nai	
Bailer testgal./min. withft. drawdown afterhrs.	(Welf Driller)		
Artesian flowg.p.m. Date	License No. Q 189 Date 9/	29	10 84
Temperature of water	Date		., 18

STATE OF WASHINGTON DEPARTMENT OF CONSERVATION AND DEVELOPMENT

L LOG	Car	t. #718	
3	012 19		1.5
	W R Longacro		
rce G	W. Decla. Claim		
	ate of WASHINGTON	2-6	
ation: St	Spokane		
County_			
Мар	SW1/ sec26 T. 25 N., R. 44 E.	DIAGRAM OF	ECTION
NE 1/4	SW1/2 sec26		
			11
	d of Drilling dug Dat	e	19
Method	d of Drilling Dist. #15	5	*
_	Tarana CONTI OII DIST		
		6	1,7 P.
and surf	ace, datumft. above		
		THICKNESS !	DEPTH (feet)
Canar	M	(feet)	(feet)
Canar	MATERIAL Materibe driller's terminology literally but paraphrase as a ster-bearing, so state and record static level if reported. curr unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.).	(feet)	(feet)
Canar	M	(feet)	(feet)
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. cum unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.).	necessary, in programme of the column, if fee	(feet)
Canar	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported, turn unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.). no record Test:	necessary, in programme of the column, if fee	(feet)
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL Material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. (am unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.).	necessary, in programme of the column, if fee	(feet)
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. um unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.) no record Test: Dim: 162.6! X 6! SWL: 132.6!	necessary, in programme of the column, if fee	(feet)
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL seribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. cum unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.) no record Test: Dim: 162.6! * 6! SWL: 132.6! Dd: 3!	(feet) necessary, in progress of the column, if feet	(feet) arentheses. I set below land sable. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. cum unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.) no record Test: Dim: 162.6' & 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Turbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. cum unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.) no record Test: Dim: 162.6' & 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Turbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	MATERIAL scribe driller's terminology literally but paraphrase as ater-bearing, so state and record static level if reported. cum unless otherwise indicated. Correlate with stratigrap materials, list all casings, perforations, screens, etc.) no record Test: Dim: 162.6' & 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Turbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow
CORRE- LATION (Transmaterial was surface dataing log of r	material driller's terminology literally but paraphrase as a ter-bearing, so state and record static level if reported. It is all casings, perforations, screens, etc.) no record Test: Dim: 162.6' x 6' SWL: 132.6' Dd: 3' Yield: 3400 g.p.m. Pump: Thrbine, 2000	necessary, in programme of the column, if fee	(feet) arentheses. I set below land asible. Follow

VERA WATER AND POWER **DETERMINATION OF NONSIGNIFICANCE** WAC 197-11-970

Description of proposal:

Revision of Water Rights 709-D, 712-D w/change no. 1-3-445,

713-D w/change no. 897, 5471-A, 6672-A, 896-D, 626-A, 995-D, to reflect current use, future plans and integrate the entire

system.

Proponent:

Vera Water and Power

Location of proposal, including

street address, if any:

Non-Project Action

Lead agency:

Vera Water and Power

The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist and other information on file with the lead agency. This information is available to the public on request

Please comment within 30 days of the date of DNS.

Responsible official: Kevin M. Wells, General Manager

Phone:

(509) 924-3800

Address:

P.O. Box 630 / N. 601 Evergreen, Veradale, Washington 99037

You may appeal this determination to the District's Board of Directors by filing in writing with the district an appeal no later than April 8, 1997.

Your appeal will be heard at the regular meeting of the Board of Directors scheduled for:

Time: 7:00 p.m. Date: April 9, 1997 Place: District Office.

You should be prepared to make specific factual objections. Contact Kevin Wells at 924-3800 to read or ask about the procedures for appeals.

VERA WATER AND POWER ENVIRONMENTAL CHECKLIST

Purpose of checklist:

The State Environmental Policy Act (SEPA), Chapter 43.21C RCW, requires all governmental agencies to consider the environmental impacts of a proposal before making decisions. An environmental impact statement (EIS) must be prepared for all proposals with probable significant adverse impacts on the quality of the environment. The purpose of this checklist is to provide information to help identify impacts from the proposal and to help decide whether an EIS is required.

A. Background

1. Name of proposed project:

Revision of Water Rights 709-D, 712-D w/change no. 1-3-445, 713-D w/change no. 897, 5471-A, 6672-A, 896-D, 626-A, 995-D, to reflect current use, future plans and integrate the entire system.

2. Name of applicant:

VERA WATER & POWER

3. Address and phone number of applicant and contact person:

Kevin Wells P.O. Box 630 N. 601 Evergreen Veradale, Washington 99037-0630

4. Date checklist prepared:

February 27, 1997

5. Agency requesting checklist:

Washington State Department of Ecology

6. Proposed timing or schedule (include phasing if applicable):

Application for change and associated paper work will be submitted spring of 1997.

7. Are there any plans for future additions, expansion or further activity related to or connected with this proposal? If yes, explain.

No.

8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

The remaining three water rights of the district have pending applications for change and the associated SEPA documents have been filed.

9. Are there any applications pending for governmental approvals of other proposals directly affecting the property covered by this proposal? If yes, explain.

The remaining three water rights of the district have pending applications for change.

10. List any government approvals or permits that will be required for this proposal.

Washington State Department of Ecology will have to approve the applications for change.

11. Give a brief, complete description of the proposal, including the proposed uses and the size of the project and site.

This is a non project action. The only purpose is to revise existing Water Rights 709-D, 712-D w/change no. 1-3-445, 713-D w/change no. 897, 5471-A, 6672-A, 896-D, 626-A, 995-D, to reflect current use, future plans and integrate the entire system.

12. Give detailed location of the proposal, including any maps that are available.

The water rights are for several withdrawal points in the Spokane Valley area, within the area served by Vera Irrigation District No. 15.

- B. Environmental Elements
- 1. Earth
 - a. General description of the site (circle one): Flat, rolly, hilly, steep slopes, other:

Not Applicable.

b. What is the steepest slope on the site in percent slope?

Not Applicable.

c. What general types of soils are found on the site, use classification of agricultural soils and note any prime farmland.

Not Applicable.

d. Are there any surface indications or history of unstable soils in the vicinity? If so, describe.

Not Applicable.

e. Describe the purpose, type and approximate quantities of any filling or grading proposed. Indicate the source of fill.

Not Applicable.

f. Could erosion occur as a result of clearing, construction, or use? If so, describe.

Not Applicable.

g. About what percent of the site will be covered with impervious surfaces after the project construction.

Not Applicable.

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any:

Not Applicable.

2. Air

a. What types of emissions to the air would result from the proposal during the construction and when the project is completed? If any, describe and give quantities if known.

Not Applicable.

b. Are there any off-site emissions or odor that may affect the proposal? If so, describe.

Not Applicable.

c. Proposed measures to reduce or control emissions or other impacts to the air, if any:

Not Applicable.

- 3. Water
 - a. Surface
 - 1. Is there any surface water body on or in the immediate vicinity of the site?

Not Applicable.

2. Will the project require any work over, in, or adjacent to the described waters? If yes, please describe.

Not applicable.

3. Estimate the amount of fill and dredge material that would be placed in or removed from the surface water or wet lands and indicate the area of the site that would be affected. Indicate the source of the fill material.

Not applicable.

4. Will the proposal require surface water withdrawals or diversions? Give description, purpose, and approximate quantities if known.

Not Applicable.

5. Does the proposal lie within the 100-year floodplain? If so, note location on the site plan.

Not Applicable.

6. Does the proposal involve any discharges of waste materials to surface waters? If so, explain.

Not Applicable.

b. Ground

1. Will ground water be withdrawn, or will water be discharged to ground water? Give description, purpose, and approximate quantities if known.

Not Applicable.

2. Describe waste material that will be discharged into the ground from septic tanks or other sources, if any. Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

Not Applicable.

c. Water Runoff

1. Describe the source of runoff (including storm water) and method of collection and disposal, if any. Where will this water flow? Will this water flow into other waters? If so, describe.

Not Applicable.

2. Could waste materials enter ground or surface waters? If so, describe.

Not Applicable.

d. Proposed measures to reduce or control surface, ground, and runoff water impacts, if any.

Not Applicable.

4. Plants

a.	Check	the	types	of	vegetation	found	on	the	site:	
----	-------	-----	-------	----	------------	-------	----	-----	-------	--

 deciduous tree: alder, maple, aspen, other
evergreen tree: fir, cedar, pine, other
 shrubs
 grass
pasture
 crop or grain
 wet soil plants: cattail, buttercup, bulrush, skunk cabbage, other
 water plants: water lily, eelgrass, milfoil, other
other types of vegetation

- What kind and amount of vegetation will be removed or altered?
 Not Applicable.
- List threatened or endangered species known to be on or near the site.
 Not Applicable.
- d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any:

Not Applicable.

5. Animals

a. Circle any birds and animals which have been observed on or near the site or are known to be on or near the site:

birds: hawks, heron, eagle, songbirds, other:

Not Applicable.

mammals: deer, bear, elk, beaver, other:

Not Applicable.

fish: bass, salmon, trout, herring, shellfish, other:

Not Applicable.

b. List any threatened or endangered species known to be on or near the site.

Not Applicable.

c. Is the site part of a migration route? If so, explain.

Not Applicable.

d. Proposed measures to preserve or enhance wildlife, if any:

6. Energy and Natural Resources

a. What kinds of energy will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

Not Applicable.

b. Would the project affect the potential use of solar energy by adjacent properties? If so, describe.

Not Applicable.

c. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any:

Not Applicable.

7. Environmental Health

a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill or hazardous waste, that could occur as a result of this proposal? If so, describe.

Not Applicable.

1. Describe special emergency services that might be required.

Not Applicable.

2. Proposed measures to reduce or control environmental health hazards, if any.

- b. Noise
 - 1. What types of noise exist in the area which may affect the project?

Not Applicable.

2. What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis? Indicate what hours noise would come from the site.

Not Applicable.

3. Proposed measures to reduce or control noise impacts, if any:

Not Applicable.

- 8. Land and Shoreline Use
 - a. What is the current use of the site and adjacent properties?

 Not Applicable.
 - b. Has the site been used for agriculture? If so, describe.

 Not Applicable.
 - c. Describe any structures on the site.

- d. Will any structures be demolished? If so, what?

 Not Applicable.
- e. What is the current zoning classification of the site?

 Not Applicable.
- f. What is the current comprehensive plan designation of the site?

 Not Applicable.
- g. If applicable, what is the current shoreline master program designation of the site?

Not Applicable.

h. Has any part of the site been classified as an "environmentally sensitive "area? If so, specify.

Not Applicable.

i. Approximately how many people would reside or work in the completed project?

Not Applicable.

- j. Approximately how many people would the completed project displace?
 Not Applicable.
- k. Proposed measures to avoid or reduce displacement impacts, if any:

 Not Applicable.
- 1. Proposed measures to ensure the proposal is compatible with the existing and projected land use and plans, if any:

9. Housing

a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

Not Applicable.

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

Not Applicable.

c. Proposed measures to reduce or control housing impacts, if any:

Not Applicable.

10. Aesthetics

a. What is the tallest height of any proposed structure(s), not including antennas. What is the proposed principal exterior building material(s)?

Not Applicable.

What views in the immediate vicinity would be altered or obstructed?
 Not Applicable.

c. Proposed measures to reduce or control aesthetic impacts, if any:

Not Applicable.

11. Light and Glare

a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

b. Could light or glare from the finished project be a safety hazard or interfere with views?

No increase in hazards or further degradation of views should result from this project.

- c. What existing off-site sources of light or glare may affect the proposal?Not Applicable.
- d. Proposed measures to reduce or control light and glare impacts, if any:
 Not Applicable.

12. Recreation

a. What designated and informal recreational opportunities are in the immediate vicinity?

Not Applicable.

b. Would the proposed project displace any existing recreational uses? If so, describe.

Not Applicable.

c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project, if any:

Not Applicable.

13. Historic and Cultural Preservation

a. Are there any places or objects listed on or proposed for national, state, or local preservation registrars known to be on or next to the site? If so, describe.

b. Generally describe any landmarks or evidence of historic, archaeological, scientific, or cultural importance known to be on or next to the site.

Not Applicable.

c. Proposed measures to reduce or control impacts, if any:

Not Applicable.

14. Transportation

a. Identify public streets and highways serving the site, and describe proposed access to the existing street system. Show on site plans.

Not Applicable.

b. Is site currently served by public transit? If not, what is the approximate distance to the nearest transit stop?

Not Applicable.

c. How many parking spaces would the project have when completed? How many would the project eliminate?

Not Applicable.

d. Will the proposal require any new roads or streets, or improvements to existing roads or streets, not including driveways? If so, generally describe.

Not Applicable.

e. Will the project use water, rail, or air transportation? If so, describe.

f. How many vehicular trips per day would be generated by the completed project? If known, indicate when peak volumes would occur.

Not Applicable.

g. Proposed measures to reduce or control transportation impacts, if any:

Not Applicable.

15. Public Service

a. Would the project result in an increased need for public services? If so, describe.

Not Applicable.

b. Proposed measures to reduce or control direct impacts on public services, if any:

Not Applicable.

16. Utilities

a. Circle utilities currently available at the site: electricity, natural gas, water, refuse service, telephone, sanitary sewer, septic system, other.

b. Describe the utilities that are proposed for the project, the utility providing the service and the general construction activities on the site or in the immediate vicinity which might be needed.

Not Applicable.

C. Signature

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

Signature

Date: 2-27-97

Name:

VERA WATER AND POWER SUPPLEMENTAL CHECKLIST FOR NONPROJECT ACTIONS

D. Supplemental Checklist for Nonproject Actions

Because these questions are very general, it may be helpful to read them in conjunction with the list of the elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

1. How would the proposal be likely to increase discharge to water; emissions to air; production, storage, or release of toxic or hazardous substances; or production of noise?

The alteration of the water rights to reflect the existing conditions and to integrate the system will have no affect on the environment. This action will simply reflect existing operating conditions. These conditions have resulted after several years of construction, drought response and changing water conditions.

The inclusion of the property that we have purchased for future well sites and the identification of the potential wells will have no affect. This property is owned by Vera and is currently used for storage, parking or landscaping. No current use will change as a result of including these sites in our permits. If any actual proposals to drill wells are made, they will require their own, individual environmental checklists and determinations of significance.

The inclusion of the projections for 20 year needs for instantaneous and annual withdrawal rates will not alter the environment. These projections will not change the amount of water pumped over the next twenty years by one single gallon. The projections are simply a reflection of current zoning rules, population change projections and the local economy. This will simply provide a planning tool for the agencies responsible for coordinating water use.

Proposed measures to avoid or reduce such increases are:

Not Required.

2. How would the proposal be likely to affect plants, animals, fish, or marine life?

The proposal will not degrade the conditions faced by the local wildlife, no construction is anticipated in this action. The permits indicate future possibilities, should any of these become reality, it will require the completion of an environmental review at that time.

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

Not Required.

3. How would the proposal be likely to deplete energy or natural resources?

No action is contemplated is this application. Should any action be required in the future, it will require the completion of an environmental review at that time, which will review energy requirements.

Proposed measures to protect or conserve energy and natural resources are:

Not Required.

4. How would the proposal be likely to use or affect environmentally sensitive areas designated (or eligible or under study) for governmental protection; such as parks, wilderness, wild and scenic rivers, threatened or endangered species habitat, historic or cultural sites, wetlands, floodplains, or prime farmlands?

No.

Proposed measures to protest such resources or to avoid or reduce impacts are:

Not Applicable.

5. How would the proposal be likely to affect land and shoreline use, including whether it would allow or encourage land or shoreline uses incompatible with existing plans?

No action is contemplated is this application. Should any action be required in the future, it will require the completion of an environmental review at that time, which will and land uses.

Proposed measures to avoid or reduce shoreline and land use impacts:

None.

6. How would the proposal be likely to increase demands on transportation or public services and utilities?

No.

Proposed measures to reduce or respond to such demand(s) are:

None.

7. Identify, if possible, whether the proposal may conflict with local, state, or federal laws or requirements for the protection of the environment.

No conflict is anticipated.

LIST OF FFECTED AGENCIES

SEPA Check List and Determination sent to these individuals/agencies for this action.

Washington State Department of Ecology Environmental Review Section Mail Stop PV-11 Olympia, WA 97504-8711

Ms. Susan Winchell, Planner Boundary Review Board 721 North Jefferson St. - Room 401 Spokane, WA 99260-0040

Mr. Tom Davis Spokane County Planning Department 1026 West Broadway Spokane, WA 99260-0040

Mr. Bruce Rawls, Director Spokane County Utilities Division 1026 West Broadway Spokane, WA 99260-0040

Mr. Bill Johns, County Engineer Spokane County Engineering Division 1026 West Broadway Spokane, WA 99260-0040

Environmental Health Spokane Regional Health District 1101 West College Avenue Spokane, WA 99260

Mr. Thomas Wells Washington State Department of Health Water Supply and Waste Unit 924 West Sinto Avenue - Room 300 Spokane, WA 99201